

Character Data Type and Operations

Hui Chen

Department of Computer & Information Science

Brooklyn College

Objectives

- To represent characters using the **char** type (§4.3).
- To encode characters using ASCII and Unicode (§4.3.1).
- To represent special characters using the escape sequences (§4.4.2).
- To cast a numeric value to a character and cast a character to an integer (§4.3.3).
- To compare and test characters using the static methods in the **Character** class (§4.3.4).

Outline

- Character data type
- The Character class
- Casting between characters and integers

Character Data Type

- Examples

`char letter = 'A'; (ASCII)`

`char numChar = '4'; (ASCII)`

`char letter = '\u0041'; (Unicode)`


`char numChar = '\u0034'; (Unicode)`

Four hexadecimal digits.



Character and Character Encoding

- But, what is a character? How does a computer system represent a character?



Unicode and Java


- Recommended reading
 - <https://docs.oracle.com/javase/tutorial/i18n/text/unicode.html>

Unicode

- Java characters use *Unicode*, originally a 16-bit encoding scheme established by the Unicode Consortium to support the interchange, processing, and display of written texts in the world's diverse languages.
- 16-bit Unicode takes two bytes, preceded by `\u`, expressed in four hexadecimal numbers that run from `'\u0000'` to `'\uFFFF'`.
- So, 16-bit Unicode can represent `65535 + 1 characters`
- Because 16-bit encoding supports 2^{16} (65,536) characters (the initial Unicode design), which is (later found be) insufficient to define all characters in use throughout the world, the Unicode standard was extended to `0x10FFFF`, which supports over one million characters (but ouch!)

Unicode Examples for the World's Languages

Unicode `\u03b1` `\u03b2` `\u03b3` for three Greek letters



Increment and Decrement

- The increment and decrement operators can also be used on char variables to get the next or preceding Unicode character.
- For example, the following statements display character b.

```
char ch = 'a';
```

```
System.out.println(++ch);
```

ASCII Character Set

- ASCII Character Set is a subset of the Unicode from `\u0000` to `\u007f`

TABLE B.1 ASCII Character Set in the Decimal Index

	<i>0</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>9</i>
0	nul	soh	stx	etx	eot	enq	ack	bel	bs	ht
1	nl	vt	ff	cr	so	si	dle	dcl	dc2	dc3
2	dc4	nak	syn	etb	can	em	sub	esc	fs	gs
3	rs	us	sp	!	"	#	\$	%	&	'
4	()	*	+	,	-	.	/	0	1
5	2	3	4	5	6	7	8	9	:	;
6	<	=	>	?	@	A	B	C	D	E
7	F	G	H	I	J	K	L	M	N	O
8	P	Q	R	S	T	U	V	W	X	Y
9	Z	[\]	^	_	`	a	b	c
10	d	e	f	g	h	i	j	k	l	m
11	n	o	p	q	r	s	t	u	v	w
12	x	y	z	{		}	~	del		

ASCII and Unicode

- What are the hexadecimal numbers of decimal numbers 48, 57, 65, 90, 97, and 122

Characters	Code Value in Decimal	Unicode Value
'0' to '9'	48 to 57	\u0030 to \u0039
'A' to 'Z'	65 to 90	\u0041 to \u005A
'a' to 'z'	97 to 122	\u0061 to \u007A

Escape Sequences for Special Characters

<i>Escape Sequence</i>	<i>Name</i>	<i>Unicode Code</i>	<i>Decimal Value</i>
<code>\b</code>	Backspace	<code>\u0008</code>	8
<code>\t</code>	Tab	<code>\u0009</code>	9
<code>\n</code>	Linefeed	<code>\u000A</code>	10
<code>\f</code>	Formfeed	<code>\u000C</code>	12
<code>\r</code>	Carriage Return	<code>\u000D</code>	13
<code>\\</code>	Backslash	<code>\u005C</code>	92
<code>\"</code>	Double Quote	<code>\u0022</code>	34

Casting between char and Numeric Types

- Examples

- `int i = 'a'; // Same as int i = (int) 'a';`

- `char c = 97; // Same as char c = (char) 97;`

Comparing and Testing Characters

- How about this method? This is in fact not a recommended method. Avoid it.

```
if (ch >= 'A' && ch <= 'Z')  
    System.out.println(ch + " is an uppercase letter");  
else if (ch >= 'a' && ch <= 'z')  
    System.out.println(ch + " is a lowercase letter");  
else if (ch >= '0' && ch <= '9')  
    System.out.println(ch + " is a numeric character");
```

Methods in the Character Class

Method	Description
<code>isDigit(ch)</code>	Returns true if the specified character is a digit.
<code>isLetter(ch)</code>	Returns true if the specified character is a letter.
<code>isLetterOfDigit(ch)</code>	Returns true if the specified character is a letter or digit.
<code>isLowerCase(ch)</code>	Returns true if the specified character is a lowercase letter.
<code>isUpperCase(ch)</code>	Returns true if the specified character is an uppercase letter.
<code>toLowerCase(ch)</code>	Returns the lowercase of the specified character.
<code>toUpperCase(ch)</code>	Returns the uppercase of the specified character.

Questions?