

CISC 3115 TY2

Java API Classes: Wrappers and Strings

Hui Chen

Department of Computer & Information Science

CUNY Brooklyn College

Notice

- The slides are always subject to change.
- The slides posted before the lecture are for preview only, and they are a draft and their content can change significantly.

Outline

- Discussed
 - Concepts of two programming paradigms
 - Procedural and Object-Oriented
 - Designing classes for problem solving
 - Think in terms of class
 - Discover relationship of classes
- A few classes in Java API
 - Java wrapper classes for primitive values
 - BigInteger, BigDecimal
 - String, StringBuilder, StringBuffer

Wrapper Classes for Primitive Types

- Java has 8 primitive data types
 - char, byte, short, int, long, float, double, boolean
- Wrapper classes
 - Char, Byte, Short, Integer, Long, Float, Double, Boolean
 - They do not have no-arg constructors.
 - The instances of all wrapper classes are immutable, i.e., their internal values cannot be changed once the objects are created

The Integer and Double Class

java.lang.Integer

-value: int

+MAX VALUE: int

+MIN VALUE: int

+Integer(value: int)

+Integer(s: String)

+byteValue(): byte

+shortValue(): short

+intValue(): int

+longVlaue(): long

+floatValue(): float

+doubleValue():double

+compareTo(o: Integer): int

+toString(): String

+valueOf(s: String): Integer

+valueOf(s: String, radix: int): Integer

+parseInt(s: String): int

+parseInt(s: String, radix: int): int

java.lang.Double

-value: double

+MAX VALUE: double

+MIN VALUE: double

+Double(value: double)

+Double(s: String)

+byteValue(): byte

+shortValue(): short

+intValue(): int

+longVlaue(): long

+floatValue(): float

+doubleValue():double

+compareTo(o: Double): int

+toString(): String

+valueOf(s: String): Double

+valueOf(s: String, radix: int): Double

+parseDouble(s: String): double

+parseDouble(s: String, radix: int): double

Integer and Double


- Constructors
 - `public Integer(int value)`
 - `public Integer(String s)`
 - `public Double(double value)`
 - `public Double(String s)`
- Class constants
 - `MAX_VALUE`
 - `MIN_VALUE`
- Conversion methods
 - “convert” objects into corresponding primitive type values.

valueOf and the parsing Methods


- The valueOf convenience method
 - `Double doubleObject = Double.valueOf("12.4");`
 - `Integer integerObject = Integer.valueOf("12");`
- The parsing methods
 - `int i = Integer.parseInt("123");`
 - `double d = Double.parseDouble("3.1415");`

Boxing and Unboxing

- Java allows primitive type and wrapper classes to be converted automatically.
- Example: the following statement in (a) can be simplified as in (b)



Integer[] intArray = {1, 2, 3};
System.out.println(intArray[0] + intArray[1] + intArray[2]);



Questions?

- Wrapper classes of primitive data types
 - Char
 - Byte
 - Short
 - Integer
 - Long
 - Float
 - Double
 - Boolean

BigInteger and BigDecimal

- Two classes for computing very large integers or high precision floating-point values
 - Example: finance applications
 - `java.math.BigInteger`
 - `java.math.BigDecimal`

BigInteger: Example

```
BigInteger a = new BigInteger("9223372036854775807");
```

```
BigInteger b = new BigInteger("2");
```

```
BigInteger c = a.multiply(b); // 9223372036854775807 * 2
```

```
System.out.println(c);
```

BigDecimal: Example

```
BigDecimal a = new BigDecimal(1.0);
```

```
BigDecimal b = new BigDecimal(3);
```

```
BigDecimal c = a.divide(b, 20, BigDecimal.ROUND_UP);
```

```
System.out.println(c);
```

Questions?

- BigInteger
- BigDecimal

The String Class

- Constructing a String:

```
String message = "Welcome to Java";
```

```
String message = new String("Welcome to Java");
```

```
String s = new String();
```

- Obtaining String length and Retrieving Individual Characters in a string
- String Concatenation (concat)
- Substrings (substring(index), substring(start, end))
- Comparisons (equals, compareTo)
- String Conversions
- Finding a Character or a Substring in a String
- Conversions between Strings and Arrays
- Converting Characters and Numeric Values to Strings

Constructing Strings

- Since strings are used frequently, Java provides a shorthand initializer (string initializer) for creating a string:
 - `String message = "Welcome to Java";`
- The above is the preferred method to construct String objects. However, it does have a constructor
 - `String newString = new String(stringLiteral);`
 - Example
 - `String message = new String("Welcome to Java");`

Strings Are Immutable

- A String object is immutable; its contents cannot be changed.

Strings Are Immutable: Discussion

- A String object is immutable; its contents cannot be changed.
- Does the following code change the contents of the string?

```
String s = "Java";
```


```
s = "HTML";
```

Strings Are Immutable: Example

```
String s = "Java";
```


```
s = "HTML";
```

After executing `String s = "Java";`



Contents cannot be changed

After executing `s = "HTML";`



This string object is now unreferenced

Interned Strings

- To improve efficiency and save memory, the JVM uses a unique instance for string literals with the same character sequence. Such an instance is called *interned*.

Interned Strings: Discussion

- What should we observe?


```
String s1 = "Welcome to Java";
```

```
String s2 = new String("Welcome to Java");
```

```
String s3 = "Welcome to Java";
```

```
System.out.println("s1 == s2 is " + (s1 == s2));
```

```
System.out.println("s1 == s3 is " + (s1 == s3));
```



Interned Strings: Discussion: Answer

- What should we observe?


```
String s1 = "Welcome to Java";
```

```
String s2 = new String("Welcome to Java");
```

```
String s3 = "Welcome to Java";
```

```
System.out.println("s1 == s2 is " + (s1 == s2));
```

```
System.out.println("s1 == s3 is " + (s1 == s3));
```



display

`s1 == s` is false

`s1 == s3` is true

A new object is created if you use the `new` operator.

If you use the string initializer, no new object is created if the interned object is already created.

Replacing and Splitting Strings

java.lang.String
+replace(oldChar: char, newChar: char): String
+replaceFirst(oldString: String, newString: String): String
+replaceAll(oldString: String, newString: String): String
+split(delimiter: String): String[]

Returns a new string that replaces all matching character in this string with the new character.

Returns a new string that replaces the first matching substring in this string with the new substring.

Returns a new string that replace all matching substrings in this string with the new substring.

Returns an array of strings consisting of the substrings split by the delimiter.

Replacing Strings: Examples

- `"Welcome".replace('e', 'A')`
 - returns a new string, `WAlcomA`.
- `"Welcome".replaceFirst("e", "AB")`
 - returns a new string, `WABlcome`.
- `"Welcome".replace("e", "AB")`
 - returns a new string, `WABlcomAB`.
- `"Welcome".replace("el", "AB")`
 - returns a new string, `WABcome`.

Splitting Strings: Examples

```
String[] tokens = "Java#HTML#Perl".split("#", 0);  
for (int i = 0; i < tokens.length; i++) {  
    System.out.print(tokens[i] + " ");  
}
```


Patterns

- We can match, replace, or split a string by specifying a pattern, commonly known as *regular expression*.
 - To be discussed in depth in “Theoretical Computer Science (CISC 3230) “
- Two simple patterns are used in this discussion

Matching Patterns: Examples

```
"Java".matches("Java");
```

```
"Java".equals("Java");
```

```
"Java is fun".matches("Java.*");
```

```
"Java is cool".matches("Java.*")
```

Replacing and Splitting with Patterns

- The `replaceAll`, `replaceFirst`, and `split` methods can be used with a regular expression.

Replacing with Patterns: Example

- The following statement returns a new string that replaces \$, +, or # in "a+b\$#c" by the string NNN.

```
String s = "a+b$#c".replaceAll("[$+#]", "NNN");
```

```
System.out.println(s);
```

- where the regular expression [\$+#] specifies a pattern that matches \$, +, or #. So, the output is aNNNbNNNNNNc.

Splitting with Patterns: Example

- The following statement splits the string into an array of strings delimited by some punctuation marks.

```
String[] tokens = "Java,C?C#,C++".split("[.,;?];");
```

```
for (int i = 0; i < tokens.length; i++)
```

```
    System.out.println(tokens[i]);
```

String: The valueOf Method

- The String class provides several static valueOf methods for converting a character, an array of characters, and numeric values to strings.
- Example
 - `String.valueOf(5.44)`.
 - The return value is a string consisting of characters '5', '.', '4', and '4'.

Questions?

- The String class.
- Strings are immutable.
- String initializer and String constructors
- Manipulating strings
 - Matching, replacing, and splitting
- String concatenation
- String's valueOf method

String Builder and StringBuffer

- These two classes represent string objects as well. However, they are mutable.
- We can add, insert, or append new contents into a StringBuiler or StringBuffer objects.
- StringBuffer is synchronized, which means that it can used safely in concurrent programming (but also slower than StringBuilder)
 - To be discussed in the future

StringBuilder: Constructors

java.lang.StringBuilder

+StringBuilder()

+StringBuilder(capacity: int)

+StringBuilder(s: String)

Constructs an empty string builder with capacity 16.

Constructs a string builder with the specified capacity.

Constructs a string builder with the specified string.

StringBuilder: Modify String Content

java.lang.StringBuilder	
+append(data: char[]): StringBuilder	Appends a char array into this string builder.
+append(data: char[], offset: int, len: int): StringBuilder	Appends a subarray in data into this string builder.
+append(v: <i>aPrimitiveType</i>): StringBuilder	Appends a primitive type value as a string to this builder.
+append(s: String): StringBuilder	Appends a string to this string builder.
+delete(startIndex: int, endIndex: int): StringBuilder	Deletes characters from startIndex to endIndex.
+deleteCharAt(index: int): StringBuilder	Deletes a character at the specified index.
+insert(index: int, data: char[], offset: int, len: int): StringBuilder	Inserts a subarray of the data in the array to the builder at the specified index.
+insert(offset: int, data: char[]): StringBuilder	Inserts data into this builder at the position offset.
+insert(offset: int, b: <i>aPrimitiveType</i>): StringBuilder	Inserts a value converted to a string into this builder.
+insert(offset: int, s: String): StringBuilder	Inserts a string into this builder at the position offset.
+replace(startIndex: int, endIndex: int, s: String): StringBuilder	Replaces the characters in this builder from startIndex to endIndex with the specified string.
+reverse(): StringBuilder	Reverses the characters in the builder.
+setCharAt(index: int, ch: char): void	Sets a new character at the specified index in this builder.

StringBuilder: Examples

- `StringBuilder.append("Java");`
- `StringBuilder.insert(11, "HTML and ");`
- `StringBuilder.delete(8, 11)`
- `StringBuilder.deleteCharAt(8)`
- `StringBuilder.reverse()`
- `StringBuilder.replace(11, 15, "HTML")`
- `StringBuilder.setCharAt(0, 'w')`

StringBuilder: toString, length, capacity, setLength, charAt

java.lang.StringBuilder
+toString(): String
+capacity(): int
+charAt(index: int): char
+length(): int
+setLength(newLength: int): void
+substring(startIndex: int): String
+substring(startIndex: int, endIndex: int): String
+trimToSize(): void

Returns a string object from the string builder.

Returns the capacity of this string builder.

Returns the character at the specified index.

Returns the number of characters in this builder.

Sets a new length in this builder.

Returns a substring starting at startIndex.

Returns a substring from startIndex to endIndex-1.

Reduces the storage size used for the string builder.

Questions?

- String
 - Immutable
- StringBuilder
 - Mutable, not thread-safe, fast
- StringBuffer
 - Mutable, thread-safe, slow