CISC 3115 EWQ6 Exception and Some Best Practice

Hui Chen

Department of Computer & Information Science
CUNY Brooklyn College

Outline

- Discussed
 - Approaches to handle errors (what-if and exceptions)
 - Concept of Exception
 - The Java throwable class hierarchy
 - system errors, runtime exceptions, checked errors, unchecked errors
 - Methods of declaring, throwing, catching exception, and rethrowing exceptions
 - Exception, call stack, stack frame, and stack trace
- Exception and some best practice

Exceptions are for Exceptional Conditions

- Exception handling usually requires time and resources because it requires
 - instantiating a new exception object,
 - rolling back the call stack, and
 - propagating the errors to the calling methods.

Some Best Practices

Do throw specific Exceptions

throw new RunTimeException("Exception at runtime");



- Throw early, catch late.
 - better to throw a checked exception than to handle the exception poorly.
- Use exception only for exceptional situations

```
if (args.length != 3) {
    System.out.println("Usage ...");
}
```

```
try {
    d1 = Integer.parseInt(args[2]);
} catch (ArrayIndexOutOfBoundsException e) {
    System.out.println("Usage ...");
}
```

Throw Specific Exceptions?

- Use the exception classes in the API whenever possible.
- Define custom exception classes if the predefined classes are not sufficient.
 - How to define custom exception?

Questions

- Exceptions are expensive, and are for exceptional conditions.
 - Use the exception classes in the API whenever possible.
 - Define *custom exception* classes if the predefined classes are not sufficient.
- Exceptions are commonly used for diagnosing problems in the programs, be specific!
- Exceptions are not abnormal. Organize your code.