

Introduction to Android App Development Platform and IDE

Hui Chen ^a

^aCUNY Brooklyn College, Brooklyn, NY, USA

February 9, 2023

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE
- 5 Android SDK
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE
- 5 Android SDK
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Selecting Process Models: Traditional or Agile?

Consider answers to the following questions (Yes → Non-Agile; No → Agile)

- ▶ Is a detailed specification required?
- ▶ Are customers unavailable?
- ▶ Is the system to be built very, very large?
- ▶ Is the system to be built very, very complex?
- ▶ Is the system to be built subject to regulation?
- ▶ Is team part of a documentation-oriented culture?
- ▶ Are you using poor software tools?
- ▶ Does the team have very poor programming skills?

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE
- 5 Android SDK
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Technical Readiness Preparation

Provide a technical readiness for

- ▶ Version Control Systems
- ▶ Develop simple Android Apps with Android Activities and Android Intent
- ▶ Test Android Apps

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android**
- 4 IDE
- 5 Android SDK
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Lecture Module Outline

- ▶ An introduction to Android
- ▶ The Android OS
- ▶ The IDE and build system
- ▶ Basic App Development

Note: this is not an Android class!

Historical Context

A mobile platform from Google

- ▶ 2005 – Google, Inc. buys Android, Inc.
- ▶ 2007 – Google unveils Android OS
- ▶ 2008 – First mobile device to support Android
- ▶ ... many versions of Android supporting a variety of devices (e.g. “IceCreamSandwich”, “Cupcake”, “KitKat”, “Lollipop”, “Marshmallow”, “Nougat”, “Oreo”, ..., “Tiramisu”, “Upside Down Cake”)
 - ▶ Phone and Tablet
 - ▶ Wearables
 - ▶ Android TV
 - ▶ Automotive
- ▶ Check out Android version history from [Wikipedia](#)

Device to OS Version Mapping

Keep in mind that targeting a newer OS may or may not be to your advantage – makes your app incompatible with a population of users

Check out

<https://developer.android.com/about/dashboards>

The Android Software Stack

Let's have a look at Android Software Stack:

<https://developer.android.com/guide/platform>

Becoming Android Developer

Let's take a look at Android Docs:

<https://developer.android.com/docs>

Programming languages:

- ▶ Kotlin
- ▶ Java

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE**
- 5 Android SDK
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

The IDE

Android Studio is the recommended IDE for app development

Have you used an IDE before, what is it?

Why IDE?

Why not IDE?

Android Studio

- ▶ Improves productivity: edit, build, debug ... all in one place
- ▶ Replaced Eclipse-based development
- ▶ Based on the IntelliJ IDE
- ▶ Uses the Gradle build system, by default

```
1  buildscript {
2    repositories {
3      jcenter()
4    }
5
6    dependencies {
7      classpath 'com.android.tools.build:gradle:1.2.3'
8      // NOTE: Do not place your application dependencies here;
9      // they belong in the individual module build.gradle files
10   }
11   // ...
12   // ...
13 }
```

Your Task: Download and Install Android Studio

<https://developer.android.com/studio>

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE
- 5 Android SDK**
- 6 Android Project
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Android SDK

Android System Development Kit (SDK) for a specific version/release of the OS provides the development libraries

- ▶ Matching API versions to OS versions
- ▶ e.g. Android 5.0 = “Lollipop” = API 21
- ▶ Download while installing Android Studio Or later via SDK Manager

Documentation:

[Android API Reference](#)

Outline

- 1 Process Models Recap
- 2 Tools of the Trade
- 3 Android
- 4 IDE
- 5 Android SDK
- 6 Android Project**
 - Android Manifest File
 - Resource Files
 - Designing UI
 - Writing Basic Android Code
 - Running Apps
 - Release to Production

Android Project in Android Studio

- ▶ Android Manifest file (an XML file)
 - ▶ UI definition in XML
 - ▶ Other definitions, e.g. strings for internationalization
- ▶ Java files (Your code)
- ▶ Gradle build scripts and settings
- ▶ Other resources (e.g. images, animations)

Android Manifest File

All *activities*, *services* and *content provider* components of the application must be statically declared in this file

```
1 <manifest xmlns:android="http://schemas.android.com/apk/res/
  android" package="com.example.android.rssreader">
2 <uses-sdk android:minSdkVersion="16" android:targetSdkVersion="
  19" />
3 <uses-permission android:name="android.permission.INTERNET" />
4 <application android:name="RssApplication">
5 <activity android:name="RssfeedActivity" android:label="
  @string/title_activity_main" >
6   <intent-filter>
7     <action android:name="android.intent.action.MAIN" />
8     <category android:name="android.intent.category.LAUNCHER"
  />
9   </intent-filter>
10 </activity>
11 ...
12
```

Content in Android Manifest File

A number of setting for the app:

- ▶ Target compiler and minimum API version
- ▶ Starting activities, intent filters
- ▶ Permission to use particular sensors, network or other capabilities
- ▶ Installation location
- ▶ ...

Resource files

Lots of important stuff in the res folder

- ▶ Drawables – /res/drawable
- ▶ Simple Values – /res/values
- ▶ Layouts – /res/layout
- ▶ Raw Data – /res/raw
- ▶ Menus – /res/menu

Designing the UI

Responsive design

- ▶ Fit across wide variety of devices, and orientations

Use the graphical editor or just edit the XML

- ▶ Being able to read the generated XML helps

```
1 <RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
2     xmlns:tools="http://schemas.android.com/tools"
3     android:paddingBottom="@dimen/activity_vertical_margin"
4     android:paddingLeft="@dimen/activity_horizontal_margin"
5     android:paddingRight="@dimen/activity_horizontal_margin"
6     android:paddingTop="@dimen/activity_vertical_margin"
7     tools:context=".MainActivity" >
8 <TextView
9     android:id="@+id/mytext"
10    android:layout_width="wrap_content"
11    android:layout_height="wrap_content"
12    android:text="@string/hello_world" />
13 </RelativeLayout>
14 ...
15
```


Typical Android UI elements

- ▶ Layouts
- ▶ Fragments
- ▶ Individual Widgets (e.g. Buttons, Views, EditTexts)
- ▶ Composite Widgets (e.g. ListView)

Each UI element has its own set of properties that govern its ID, look, and behavior

UI elements are typically defined in XML, but accessed and modified in Java

Some Android Program Elements

- ▶ Activities – We'll deal with these most
- ▶ Services, i.e., UI-less elements
- ▶ Broadcast receivers, e.g., register to receive notification if someone is sending you a message
- ▶ Content providers – to encapsulate data

Android Activity

```
1 package cisc3171.bc.cuny.edu;
2 import android.app.Activity;
3 import android.os.Bundle;
4 import android.widget.TextView;
5
6
7 // extends android.app.Activity
8 public class MainActivity extends Activity {
9     @Override
10    protected void onCreate(Bundle savedInstanceState) {
11        super.onCreate(savedInstanceState);
12        setContentView(R.layout.activity_main);
13        TextView textView = (TextView) findViewById(R.id.mytext);
14        // ...
15    }
16 }
17
```

Callbacks

Typically reliant on callback mechanisms

```
1 final Button button = (Button) findViewById(R.id.button_id);
2 button.setOnClickListener(
3     new View.OnClickListener() {
4         public void onClick(View v) {
5             // Perform action on click
6         }
7     }
8 );
9
```


Link to the UI elements via their ID

Can programmatically set most element's properties

Recall: Anonymous classes, functional interface, lambda expression in Java

Model-View-Controller

Generally follow the Model-View-Controller architecture, and classes are named after the components in the architecture, such as, `MainView`, `NavigationController`, and `SideFragmentController`.



Making Apps from Android Projects

1. Java files compiled in class files, packaged into a .dex (Dalvik Executable) file
2. .dex files with resources (images, XML files) are packaged into an app bundle (an .aab file – replaces .apk file)
3. Since Android version 5.0 apps are executed by the Android Run-Time (ART), which pre-compiles the code to machine language.
pre-compilation = larger executable files, faster runtime

Running Apps during Development

On an Android device

- ▶ What version/release of Android on the device?
- ▶ Make sure the device is in development mode
- ▶ Settings → Development Options → USB Debugging (what if I don't see the Development Options?)
- ▶ Connect via USB cable
- ▶ Download drivers (?)

On the emulator (Android Virtual Device (AVD))

- ▶ Configure emulator to the version that you want to execute on
 - ▶ need a system image (big, i.e., 1 GB)
 - ▶ recommend to use x86 image for x86 hosts
- ▶ Don't close the emulator after executing, it may take time to start up

Release the App

Google Play Store and ...

References

- ▶ <https://developer.android.com/codelabs/build-your-first-android-app>
- ▶ Free courses (such as those on Udacity)
- ▶ <https://developer.android.com/>
- ▶ <https://www.vogella.com/tutorials/android.html>