### Some Ideas on Implementation

Hui Chen a

<sup>a</sup>CUNY Brooklyn College, Brooklyn, NY, USA

April 29, 2025

- Working Code vs. Beautiful Code
  - CODE should be DRY
  - Clarity
  - Writing Idiomatic Code
  - Tools
- Summary and Further Reading
- References

- Working Code vs. Beautiful Code
  - CODE should be DRY
  - Clarity
  - Writing Idiomatic Code
  - Tools
- Summary and Further Reading
- References

## Working Code vs. Beautiful Code

Working code doesn't necessarily mean good code.

Implementation

## Working Code vs. Good Code

### What's wrong this the following code? (Source: Steve McConnell<sup>1</sup>)

```
1 void HandleStuff ( CORP_DATA inputRec, int crntQtr, EMP_DATA empRec,
     double estimRevenue, double ytdRevenue, int screenX, int screenY,
3
     COLOR_TYPE newColor, COLOR_TYPE prevColor, StatusType status,
     int expenseType ) {
     int i:
 6
     for (i = 0: i < 100: i++) {
7
       inputRec.revenue[i] = 0;
       inputRec.expense[i] = corpExpense[ crntQtr ][ i ]:
10
     UpdateCorpDatabase( empRec );
11
     estimRevenue = ytdRevenue * 4.0 / (double) crntQtr;
12
     newColor = prevColor:
13
     status = SUCCESS:
14
     if ( expenseType == 1 ) {
       for (i = 0; i < 12; i++)
15
16
         profit[i] = revenue[i] - expense.tvpe1[i]:
17
18
     else if ( expenseType == 2 ) {
       profit[i] = revenue[i] - expense.tvpe2[i]:
19
20
     else if ( expenseType == 3 )
21
       profit[i] = revenue[i] - expense.tvpe3[i]:
22
23
```

<sup>&</sup>lt;sup>1</sup>Steve McConnell. Code complete. Pearson Education, 2004.

# What's Wrong with HandleStuff?

- The routine has a bad name; handleStuff tells you nothing about what it does
- The input variable inputRec is changed. If it's an input variable it should not be modified (and declared const).
- It uses global variables (e.g. profit)
- ► It doesn't have a single purpose. It does too many things: reading from DB, some calculation which don't have a common goal
- The routine does not defend itself against bad data
- ▶ Uses "magic" numbers (e.g. 100, 1, 2)
- Some parameters are unused
- Too many parameters
- Parameter names do not make their meaning obvious
- Others?

### Beautiful Code

Long-lasting code that is easy to evolve.<sup>2</sup>

How do we create beautiful code? We discuss several ideas,

- Don't Repeat Yourself (DRY)
- Clarity via Conciseness
- ► Idiomatic Code

7 / 21

<sup>&</sup>lt;sup>2</sup>Armando Fox, David A Patterson, and Samuel Joseph. *Engineering software as a service:* an agile approach using cloud computing. Strawberry Canyon LLC, 2013.

# Writing DRY Code

Your code should be DRY!

DRY = Don't Repeat Yourself

- If you are about to write repetitive code, stop!
- Refactor into a function; or
- Refactor into a class / abstract class; or
- Create a library or a module

Modern IDEs can detect repetitive code – a code smell

## Why DRY Code

- ► Modularity Some parts of the code are easier to replace if they are in a routine, without disturbing the rest of the implementation
- Testing Easier to perform tests
- Single Optimization Point You can optimize the code in one place instead of several
- Reduce Complexity Place code in the routine so that you don't have to think about it after it is written
- ▶ Introduce Abstraction Putting a section of code into a well named routine/class/module/package is one of the best ways to document its purpose

### Clarity via Conciseness

- Syntax: shorter and easier to read, e.g., (via Google Guava) theDigits = CharMatcher.DIGIT.retainFrom(string);
- Avoid long statements (if you can)
- Avoid redundant words (if you can)
- But YOU CAN and SHOULD give comprehensible variable, method and class names!

# Self Documenting

#### Code should be self-documenting

- Comments should be useful high-level descriptions of what the program is doing. They should not restate something that is "obvious".
- Self documenting code uses well-chosen variable names (and function names) to make the code read as close to English as possible
  - For example, naming a variable g has little meaning, but naming a variable gravity gives a much better description of what the variable should contain.
  - By using proper variable and function names, you should minimize the amount of "external" documentation that is necessary.

11/21

# Self Documenting Code: Example

Compare the following two, which one is more self-documenting?

```
List < String > 1 = new ArrayList < String > ();
1.add("hello");
1.add("world");
1.add("one");
```

#### versus

```
List < String > list Of Words = Immutable List.of ("hello", "world"
  , "!")
```

# Writing Idiomatic Code

- Coding conventions detail:
  - how the code should look like (i.e., aesthetics)
  - how some specific aspects of the code should be handled (e.g. exceptions), e.g.,
    - Where and when should I place curly brackets?
    - ► How should I name variables?
    - How much space should give between lines, between parameters, etc?
- Various projects and domains have their own conventions
  - ► Check if you want to contribute code

### Coding Convention: Example

Coding conventions for Android contributors

https://source.android.com/setup/contribute/code-style

Implementation

### Coding conventions for Android contributors: Examples

- Fully qualify imports (import A.B.c vs. import A.B.\*)
- Order import statements (Android imports  $\rightarrow$  third party imports  $\rightarrow$ java and javax)
- Write short methods (must be less than 40 LOC)
- Define Fields in Standard Places (fields should be defined either at the top of the file, or immediately before the methods that use them)

15/21

## Checkstyle Tool

Installed as a plugin in AndroidStudio

File -> Settings -> Plugins

Checks whether your program adheres to a set of style rules (e.g. Sun rules, Google rules)

16 / 21

Implementation

### Lint Tool

Analyzes source code structure for known errors, bugs, and stylistic problems.

Originates in Bell Labs in 1978, but many modern versions exist

For Android

https://developer.android.com/studio/write/lint

- Working Code vs. Beautiful Code
  - CODE should be DRY
  - Clarity
  - Writing Idiomatic Code
  - Tools
- Summary and Further Reading
- 3 References

## Summary

- Don't Repeat Yourself (DRY)
- Clarity via Conciseness
- ► Idiomatic Code
  - ► Tools: Checkstyle, Lint

What makes a great software engineer?

- ▶ Opinion. Practice the 10,000 hours of deliberate practice
- Research papers, e.g.,
  - ► Li PL, Ko AJ, Zhu J. What makes a great software engineer?. In2015 IEEE/ACM 37th IEEE International Conference on Software Engineering 2015 May 16 (Vol. 1, pp. 700-710). IEEE.
- **.**..

- Working Code vs. Beautiful Code
  - CODE should be DRY
  - Clarity
  - Writing Idiomatic Code
  - Tools
- Summary and Further Reading
- 3 References

- "Engineering Software as a Service" by Armando Fox and David Patterson (2nd Edition)
- "Introduction to Software Design with Java" by Martin P. Robillard "Essentials of Software Engineering" by Frank Tsui, Orlando Karam, and Barbara Bernal(4th Edition)