

# CISC 3320 MW3

# Interrupts

Hui Chen

Department of Computer & Information Science

CUNY Brooklyn College

# Acknowledgement

- These slides are a revision of the slides provided by the authors of the textbook via the publisher of the textbook


# Outline

- Concept of interrupts
- Interrupt service routing, interrupt vector, and interrupt vector table
- Interrupt handling
- Interrupt design consideration

# OS and Interrupts


- An operating system is interrupt driven
  - Timers
  - I/O
  - ...

# How an Interrupt Happens?



- [Figure 5-5 in Tanenbaum & Bos, 2014]

# Example: CPU & Interrupt Controller



# Interrupts

- Interrupt transfers control to the interrupt service routine generally
- Two sources of interrupts
  - External (hardware-generated) interrupts: interrupts are generally caused by hardware
  - Software generated interrupts: a trap or exception is a software-generated interrupt caused either by an error or a user request
- Interrupt vector (interrupt descriptor by Intel)
  - Interrupt service routine: interrupt handler, a program processes the interrupt
  - Interrupt vector table: consists of interrupt vectors
  - Interrupt vector: the address of an interrupt handler
- Interrupt architecture must save the address of the interrupted instruction

# Interrupt Vectors

- Address to interrupt routines
  - Some PC event/interrupt-vector numbering

Vector Number	Description
0	Divide Error
1	Debug Exception
...	
6	Invalid Opcode
...	
32-255	Maskable Interrupts (device generated)




# Handling Interrupt

- CPU senses its interrupt-request line after each instruction
- When it is “lit”, CPU saves the current state
  - Example: push registers PSW and PC to the stack
- CPU jumps to the interrupt-handler routine at a fixed address in the memory
- Interrupt-handler routine completes its task and restore the CPU state
  - Pop the registers from the stack

# Design Consideration: Interrupts

- Maskable and nonmaskable interrupts
- Interrupt priorities and interrupt chaining
- Exceptions and software interrupts (traps)
- Precise and imprecise interrupts

# Interrupt Timeline: I/O Interrupts



# Exceptions and Interrupts

- Interrupt mechanism also used for exceptions
  - Terminate process, crash system due to hardware error
- Page fault executes when memory access error
  - System call executes via trap to trigger kernel to execute request
- Multi-CPU systems can process interrupts concurrently
  - If operating system designed to handle it
- Used for time-sensitive processing, frequent, must be fast

# Questions?

- Reviewed the concept of interrupts