

Entity-Relationship Model

Hui Chen ^a

^aCUNY Brooklyn College, Brooklyn, NY, USA

February 4, 2025

Outline

- 1 Entity-Relationship Modeling
- 2 Entity-Relationship Diagrams
- 3 Modeling Relationships
- 4 Assignments

Outline

- 1 Entity-Relationship Modeling
- 2 Entity-Relationship Diagrams
- 3 Modeling Relationships
- 4 Assignments

Entity-Relationship Model Building Blocks

- ▶ Entity sets
- ▶ Attributes,
- ▶ Relationships, and
- ▶ Constraints

Entity Sets

An entity is an abstract object of some sort, and a collection of similar entities forms an *entity set*.

- ▶ Example: let's design a movie database (for whom?)
 - ▶ What are the nouns?
 - ▶ Each movie is an entity, and the set of all movies constitutes an entity set
 - ▶ Call the entity set *Movies*
 - ▶ Each movie star (actor or actress) is an entity, the set of all movie stars is an entity set
 - ▶ Call the entity set *Stars*
- ▶ Question: let's consider a database for an educational institution
 - ▶ What are examples of entity and entity set?

Attributes

Entity sets have associated attributes, which are properties of the entities in that set.

- ▶ Example: let's continue to design the movie database
- ▶ What attributes can entity sets `Movies` and `Stars` have?
- ▶ Discussion: Are the attributes of primitive data types?

Relationships

Relationships are connections among two or more entity sets.

- ▶ Example: let's continue to design the movie database
- ▶ What are the verbs?
- ▶ Entity sets `Movies` and `Stars` can have a relationship called `Stars-in`
- ▶ Entity sets `Studios` and `Movies` can have a relationship called `Owns`


Outline

- 1 Entity-Relationship Modeling
- 2 Entity-Relationship Diagrams**
- 3 Modeling Relationships
- 4 Assignments


Entity-Relationship Diagrams

An Entity-Relationship Diagram (E-R Diagram) is a graph representing entity sets, attributes, and relationships. There are three popular notations to represent the graph.

- ▶ Chen notation (by Peter Chen)
- ▶ Crow's Foot notation
- ▶ UML notation



Overview



Instance of an E-R Diagram

E-R diagram is a notation for the model of data (or a database) and a database contains particular data, an “instance” of the database.



Students	Courses
Jane Doe	CISC 3115
John Doe	CISC 1115
Amy Doe	CISC 3130

Outline

- 1 Entity-Relationship Modeling
- 2 Entity-Relationship Diagrams
- 3 Modeling Relationships**
- 4 Assignments


Multiplicity of Binary E-R Relationships

- ▶ A binary relationship is a relationship between two entity set.
- ▶ There can be a restriction on the “multiplicity” of a relationship.
 - ▶ 1-to-1, 1-to-many, many-to-many





Multiway Relationships

- ▶ A relationship can involve more than two entity sets – multiway relationships
 - ▶ In practice, ternary (3-way) or n -way ($n > 3$) relationships are rare, but they occasionally are necessary to reflect the true state of affairs




Roles in Relationships

- ▶ It is possible that one entity set appears two or more times in a single relationship, called “roles” of the relationship.
- ▶ For each role, we connect the entity sets with a line, and label it with the role




Attributes on Relationships

- ▶ Relationships can have attributes.



Attributes on Relationships


- ▶ Relationships can have attributes.
- ▶ But, we can also instead invent a new entity set
- ▶ Let's compare these two modeling choices



Converting Multiway Relationship to Binary


- ▶ Some data models, like those in UML limit relationships to binary.
- ▶ Why?
- ▶ E-R model does not require binary relationship.
- ▶ We can convert any n-way relationship to a collection of binary, many-to-one relationships.
- ▶ Method: introduce a new entity set whose entities are tuples of the relationship set for the n-way relationship; connect the entity sets

Examples: Convert to binary relationships




Result: next slide

Converting Multiway Relationship to Binary: Result



Modeling Subclasses in E-R Model

- ▶ Sometimes, an entity set contains entities that have special properties not universally associated with all members of the set.
- ▶ Like Object-oriented programming, we model it using subclasses
- ▶ We create an entity set with the special properties to an entity set.
- ▶ This is an “isa” relationship



Outline

- 1 Entity-Relationship Modeling
- 2 Entity-Relationship Diagrams
- 3 Modeling Relationships
- 4 Assignments

Exercises (Assignments)

Let's work on some problems...

Summary

- ▶ E-R modeling
- ▶ Entity set and relationship set
- ▶ Exercises and homework assignment