

Constraints in Entity-Relationship Model

Hui Chen ^a

^aCUNY Brooklyn College, Brooklyn, NY, USA

February 4, 2025

Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints
- 3 Degree Constraints
- 4 Weak Entity Set
- 5 Assignments

Entity-Relationship Model Building Blocks

- ▶ Entity sets,
- ▶ Attributes,
- ▶ Relationships, and
- ▶ Constraints

Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints
- 3 Degree Constraints
- 4 Weak Entity Set
- 5 Assignments

Keys in E-R Model

A key denoted as K for an entity set E is a set of one or attributes that satisfy the following property


- ▶ For any $e_1, e_2 \in E, e_1 \neq e_2$, there must be a $k \in K$ such that e_1 and e_2 do not have identical values for k

It is important to note

- ▶ Every entity set *must* have a key
- ▶ There can be more than one possible key for an entity set
 - ▶ It is customary to pick one key as the “primary key”
- ▶ When an entity set is part of isa-hierarchy, the root entity is required to have all the attributes needed for a key.

Representing Keys in E-R Diagram

To represent a key in E-R diagrams, we underline the attributes belonging to a key for an entity set.




Representing Keys in E-R Diagram

To represent a key in E-R diagrams, we underline the attributes belonging to a key for an entity set – what's your primary key?

Possible keys

- 1, EmpID
- 2, SSN
3. Name + Home Address



Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints**
- 3 Degree Constraints
- 4 Weak Entity Set
- 5 Assignments

Referential Integrity in E-R Models

A referential integrity constraint asserts that a value appearing in one context also appears in another but related context.

Example: Students take Courses

- ▶ Entity sets Students, Courses
- ▶ Relationship set takes
- ▶ Referential constraint on relationship takes: a student appears in the takes relationship set must also appear in entity Students set
- ▶ Why?

Referential Integrity in E-R Diagram

Use rounded arrow

Suppose R is a relationship set from entity set E to entity set F . A rounded arrow pointing to F indicates the entity set F related to a given entity of set E is required to exist.



Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints
- 3 Degree Constraints**
- 4 Weak Entity Set
- 5 Assignments


Degree Constraints

Degree constraints indicates limits on the number of entities that can be connected to any one entity of the related entity set.

- ▶ Entity sets Students, Courses
- ▶ Relationship set takes
- ▶ Degree constraints on takes: a course cannot have more than 40 students.

Degree Constraints in E-R Diagram

Attach a bounding number to the edges that connect a relationship set to an entity set



Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints
- 3 Degree Constraints
- 4 Weak Entity Set**
- 5 Assignments

Weak Entity Set

If some or all attributes of an entity's key belong to another entity set, the entity set is a weak entity set.


When does it occur?

- ▶ An entity set is a “subordinate” of another
- ▶ When we convert a multi-way relationship to a binary relationship

“Subordinate” Entity Set

Examples (also on draw.io).

- ▶ Students in multiple colleges, in each a student has a student ID.
- ▶ Basketball players in multiple teams, in each a player has a number.
- ▶ A species is designated by its genus and species names.
- ▶ Contracts among Studios, Stars, and Movies



Are there any important constraints we should add?

Weak Entity Set Notation

1. If an entity is weak, we show it as a rectangle with a double border
2. Its supporting many-one relationships will be diamonds with a double border
3. If an entity set supplies any attributes for its own key, those attributes will be underlined.

Summary

Constraints

- ▶ Key constraints
- ▶ Referential integrity constraints
- ▶ Degree constraints
- ▶ Exercises and homework assignment
 - ▶ Ternary relationship
 - ▶ Ternary relationship \rightarrow binary relationships
 - ▶ Constraints

Outline

- 1 Key Constraint
- 2 Referential Integrity Constraints
- 3 Degree Constraints
- 4 Weak Entity Set
- 5 Assignments**

Exercises (Assignments)

Let's work on some problems...