

Main Memory

Hui Chen ^a

^aCUNY Brooklyn College

May 6, 2021

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register
- 4 Contiguous Memory Allocation
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register
- 4 Contiguous Memory Allocation
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

MMU and Address Translation

- ▶ Policy. Each process has a separate memory space.
 - ▶ Protection. Keep each process isolated.
 - ▶ Sharing. Allow memory to be shared between processes.
 - ▶ Virtualization. Provide applications with the illusion of “infinite” memory.
- ▶ Mechanism. Mediating memory access via a hardware component called the memory management unit (MMU). MMU that translate a logical address to a physical address.
 - ▶ Logical address (or virtual address). An address generated by the CPU.
 - ▶ Physical address. An address generated by the MMU

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers**
- 3 Relocation Register
- 4 Contiguous Memory Allocation
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Base-Limit Registers

Introduce the memory management unit (MMU) with a pair of registers within,

- ▶ Base register. It holds the smallest legal physical memory address.
- ▶ Limit register. It specifies the size of the range.
- ▶ The MMU checks whether a (logical) address is valid.

$$\text{Validity} = \begin{cases} \text{True} & 0 \leq \text{Address} - \text{Base Register} < \text{Limit Register} \\ \text{False} & \text{Otherwise} \end{cases} \quad (1)$$

- ▶ Logical Address \equiv Physical Address

Base-Limit Registers: Discussion

We can

- ▶ (allows *concurrency*) allow processes loaded in memory for concurrent execution, and
- ▶ (provides *protection*) have the ability to determine the range of legal addresses.
- ▶ (supports *virtualization*???) ...

How, how should we write programs to use this? In another word, does the system permit the *dynamic loading* of programs and how does it impact how we must write a program?

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register**
- 4 Contiguous Memory Allocation
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Relocation Register

Introduce the MMU with a *relocation* register ,

- ▶ Relocation register. It holds the smallest legal physical memory address.
- ▶ The MMU translates the logical address to the physical address,

$$\text{Physical Address} = \text{Relocation Register} + \text{Logical Address} \quad (2)$$

Relocation Register: Discussion

We can

- ▶ (supports *concurrency*) allow processes loaded in memory for concurrent execution, and
- ▶ (provides *protection*???) ...
- ▶ (supports *virtualization*???) ...

How, how should we write programs to use this? In another word, does the system permit the *dynamic loading* of programs and how does it impact how we must write a program?

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register
- 4 Contiguous Memory Allocation**
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Relocation-Limit Registers

Introduce the MMU with a *relocation* and a limit register ,

- ▶ Relocation register. It holds the smallest legal physical memory address.
- ▶ Limit register. It specifies the size of the range.
- ▶ The MMU checks the validity of the logical address,

$$\text{Validity} = \begin{cases} \text{True} & \text{Logical Address} < \text{Limit Register} \\ \text{False} & \text{Logical Address} \geq \text{Limit Register} \end{cases} \quad (3)$$

- ▶ The MMU translates the logical address to the physical address,

$$\text{Physical Address} = \text{Relocation Register} + \text{Logical Address} \quad (4)$$

Relocation-Limit Registers: Discussion

We can

- ▶ (support *concurrency*) allow processes loaded in memory for concurrent execution, and
- ▶ (provide *protection*) have the ability to determine the range of legal addresses.
- ▶ (support *virtualization*???) ...

How, how should we write programs to use this? In another word, does the system permit the *dynamic loading* of programs and how does it impact how we must write a program?

Contiguous Memory Allocation

- ▶ The Relocation-Limit Registers scheme is often called the Contiguous Memory Allocation scheme since each process is contained in a *single section of memory* that is *contiguous* to the section containing the next process.
- ▶ Simply put, this is the result that the relocation register can hold any valid and contiguous values, like 0, 1, 2,

Memory Allocation

- ▶ Variable Partition Scheme. With the relocation-limit registers, the OS assigns processes to variably sized partitions in memory, where each partition may contain exactly one process.
 - ▶ General dynamic storage allocation problem.
 - ▶ First-fit, best-fit, and worst-fit strategies.
- ▶ Problems?
 - ▶ Internal fragmentation.
 - ▶ External fragmentation.

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register
- 4 Contiguous Memory Allocation
- 5 Paging**
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Concept of Paging

A memory management scheme that permits a process's physical address space to be non-contiguous.

Basic Paging Scheme

- ▶ Physical memory. Breaking physical memory into fixed-sized blocks called *frames*.
- ▶ Logical memory. Breaking logical memory into blocks of the same size called *pages*.
- ▶ Page size \equiv frame size
- ▶ A logical address consists of a page number and a page offset.
- ▶ A physical address consists of a frame number and a frame offset.
- ▶ Page offset \equiv frame offset
- ▶ MMU translates a logical address to a physical address via a page table.

Querying Page Size

On Debian Linux,

```
1  $ getconf PAGESIZE
2  $ man 2 getpagesize
```

Examples and Exercises

Let's examine a few examples and do a few exercises ...

Fragmentation

- ▶ Does paging has internal fragmentation?
- ▶ Does paging has external fragmentation?

Protection and Sharing?

Recall

- ▶ Policy. Each process has a separate memory space.
 - ▶ Protection. Keep each process isolated.
 - ▶ Sharing. Allow memory to be shared between processes.
 - ▶ Virtualization. Provide applications with the illusion of “infinite” memory.

Protection

- ▶ Associating protection bits with each frame
 - ▶ Read-write, read-only, executable?
 - ▶ Valid and invalid?
 - ▶ Page table size? (page-table length register (PTLR))?
- ▶ Storing these bits in page table

Shared Pages

Paging allows us to realize shared library and shared memory efficiently.

Outline

- 1 Concept of Address Translation
- 2 Base-Limit Registers
- 3 Relocation Register
- 4 Contiguous Memory Allocation
- 5 Paging
 - Concept and Basic Scheme
 - Fragmentation
 - Protection and Sharing
- 6 Implementing Paging
 - Access Latency Too High?
 - Page Table Too Large?
 - Hierarchical Page Tables
 - Hashed Page Tables
 - Inverted Page Table

Access Latency of Basic Paging Scheme

How much time does it take to access the memory?

- ▶ Let's compare the Variable Partition scheme and the Basic Paging scheme.
- ▶ Constraints.
 - ▶ For most contemporary CPUs, page tables are large, and can only be kept in main memory.
 - ▶ page tables are located via a page-table base register (PTBR)
 - ▶ page table size is in page-table length register (PTLR)

Translation Look-Aside Buffer

- ▶ To reduce access latency of the paging scheme, introduce cache memory called the Translation Look-Aside Buffer (TLB)
- ▶ Realized via an associative, high-speed memory.
 - ▶ When the associative memory is presented with an item, the item is compared with all keys simultaneously.
 - ▶ A TLB lookup in modern hardware is part of the instruction pipeline, essentially adding no performance penalty.

Querying TLB

On Debian Linux,

```
1  $ sudo apt-get install cpuid
2  $ cpuid | grep -i tlb
```

Access Latency with TLB

Let's do a few exercises to analyze access latency with TLB?

TLB Replacement Algorithm

What happens when a process accesses a page that isn't cached in TLB and TLB is full?

- ▶ TLB replacement policy (Generally, LRU; cf. virtual memory)

How big is a page table?

- ▶ Page tables can be very large if implemented in straight-forward fashion.
- ▶ Let's do some exercise ...

Hierarchical Page Tables

To avoid allocating a page table contiguously in main memory, we page the page table.

2-Level Paging

Let's consider 32-bit logical address space, and a logical address will have the format like the following,

page number		page offset
p_1	p_2	d
10	10	12

There are two level of pages tables

- ▶ Outer page table indexed by p_1 .
 - ▶ Inner page table indexed by p_2 .
1. How does TLB look like?
 2. What if we use 2-level paging for 64-bit logical address spaces?

3-Level Paging?

Let's consider 64-bit logical address space. We would structure a logical address as follows,

page number			page offset
p_1	p_2	p_3	d
32	10	10	12

How big is the 1st outer page table? How about the following?

page number					page offset
p_1	p_2	p_3	p_4	p_5	d
12	10	10	10	10	12

1. How does TLB look like?
2. What is the access latency when there is a TLB miss?

Hashed Page Tables

Use a hash table (sometimes called a map)

- ▶ Key. $H(\text{pagenumber})$
 - ▶ Value. A linked list of $(\text{pagenumber}, \text{framenumbers})$
 - ▶ Why do we need a list instead of a single value of $(\text{pagenumber}, \text{framenumbers})$?
1. How does TLB look like?
 2. What is the access latency when there is a TLB miss?

Inverted Page Table

Observation. A computer system typically has small amount of physical memory when compared to logical address space.

- ▶ Rather than each process having a page table and keeping track of all possible logical pages, track all physical pages
 - ▶ Conceptually in a page table, an entry is for a page
 - ▶ In an inverted page table, an entry is for a frame (thus inverted)
- ▶ One page table entry for each real page (or frame) of memory. Each consists of
 - ▶ process identification information, and
 - ▶ frame information.
- ▶ Decreases memory needed to store each page table, but increases time needed to search the table when a page reference occurs
 - ▶ Use hash table to limit the search to one — or at most a few — page-table entries
 - ▶ TLB can accelerate access